

Mid-Power LED - 2835 Series

STW8A12D-S1(IAH0)







Product Brief

Description

- This White Colored surface-mount LED comes in standard package dimension. Package Size: 3.5x2.8x0.7mm
- It has a substrate made up of a molded plastic reflector sitting on top of a lead frame.
- The die is attached within the reflector cavity and the cavity is encapsulated by silicone.
- The package design coupled with careful selection of component materials allow these products to perform with high reliability.

Features and Benefits

- Market Standard 3528 Package Size
- High Color Quality, CRI Min. 80
- RoHS compliant

Key Applications

- Interior lighting
- General lighting
- Indoor and outdoor displays
- Architectural / Decorative lighting

Table 1. Product Selection Table

Part Number	сст					
Part Number	Color	Min.	Тур.	Max.		
STW8A12D-S1(IAH0)	Cool White	4650K	5600K	7000K		
STW8A12D-S1(IAH0)	Neutral White	3700K	4000K	4200K		
STW8A12D-S1(IAH0)	Warm White	2580K	3000K	3700K		



Table of Contents

Inde	x	
•	Product Brief	1
•	Table of Contents	2
•	Performance Characteristics	3
•	Characteristics Graph	5
•	Color Bin Structure	8
•	Mechanical Dimensions	10
•	Emitter Tape & Reel Packaging	12
•	Product Nomenclature	13
•	Precaution For Use	14
•	Company Information	17

Performance Characteristics

Table 2. Product Selection Guide, $I_F = 60mA$, $T_j = 25^{\circ}C$, RH30%

CCT (K) ^[1] Part Number		RANK	Luminous Flux ^[3] Φ _V (lm)		CRI Ra
	Тур.		Min	Max	Min.
	6500	L28	28	30	80
	6300	L28	28	30	80
· ·	6000	L28	28	30	80
· ·	5700	L28	28	30	80
· ·	5000	L28	28	30	80
STW8A12D-S1 (IAH0)	4000	L28	28	30	80
		L26	26	28	80
	3500	L28	28	30	80
	0000	L26	26	28	80
	3000	L28	28	30	80
	2700	L26	26	28	80

Notes:

- (1) Correlated Color Temperature is derived from the CIE 1931 Chromaticity diagram.
- (2) Seoul Semiconductor maintains a tolerance of $\pm 7\%$ on Flux and power measurements. The luminous Flux was measured at the peak of the spatial pattern which may not be aligned with the mechanical axis of the LED package.

Performance Characteristics

Table 3. Characteristics, I_F=60mA, T_i= 25°C, RH30%

Parameter	Cumbal	Value			Unit
Farameter	Symbol	Min.	Тур.	Max.	Onit
Forward Current	I _F	-	60	-	mA
Forward Voltage	V_{F}	2.8	3.0	3.2	V
Luminous Flux ^[1] (6,500K) ^[2]	l _v	28	29	-	lm
CRI ^[3]	R _a	80	83	90	
Viewing Angle	2O _{1/2}	-	120	-	Deg.
Storage Temperature	T_{stg}	- 40	-	+ 85	°C
Thermal resistance (J to S) [4]	Rθ _{J-S}	-	60	-	°C/W
ESD Sensitivity(HBM)	-		Class 2 JESE)22-A114-E	

Table 4. Absolute Maximum Ratings

Parameter	Symbol	Value	Unit
Forward Current	l _F	150	mA
Power Dissipation	P_{D}	0.48	W
Junction Temperature	T _j	115	°C
Operating Temperature	T_{opr}	-40 ~ + 85	°C
Storage Temperature	T_{stg}	-40 ~ + 100	°C
Pulse Forward Current	I _{FP}	150	mA
Reverse Voltage	Vr	5	V

Notes:

- (1) Seoul Semiconductor maintains a tolerance of $\pm 10\%$ on Flux and power measurements.
- $\ensuremath{\text{(2)}}\xspace \ensuremath{\text{Correlated}}\xspace \ensuremath{\text{Color}}\xspace \ensuremath{\text{Temperature}}\xspace \ensuremath{\text{is}}\xspace \ensuremath{\text{derived}}\xspace \ensuremath{\text{from}}\xspace \ensuremath{\text{the}}\xspace \ensuremath{\text{CIE}}\xspace \ensuremath{\text{1931}}\xspace \ensuremath{\text{Chromaticity}}\xspace \ensuremath{\text{diagram}}\xspace.$

Color coordinate : ± 0.01 , CCT $\pm 5\%$ tolerance.

- (3) Tolerance is ± 3.0 on CRI , ± 0.3 on VF measurements.
- (4) Thermal resistance is junction to Solder.
- (5) I_{FP} conditions with pulse width \leq 10ms and duty cycle \leq 10%
- (6) The products are sensitive to static electricity and must be carefully taken when handling products
- · Calculated performance values are for reference only.
- All measurements were made under the standardized environment of Seoul Semiconductor.

Fig 1. Color Spectrum, T_i = 25°C, I_F=60mA




Fig 2. Radiant Pattern, T_i = 25°C, I_F=60mA




Fig 3. Forward Voltage vs. Forward Current, T_i = 25°C




Fig 4. Forward Current vs. Relative Luminous Flux, T_i = 25°C




Fig 5. Solder Temp.v/s Forward current (Derating curve)




Fig 6. Temp.v/s Lumens current





Fig 7. Junction Temperature vs. Relative Luminous Intensity, I_F=60mA





Color Bin Structure

Table 5. Bin Code description, T_i=25℃, I_F=60mA


	Luminous Flux (Im) Color		Typical Forward Voltage (V)				
Part Number	Bin Code	Min.	Max.	Chromaticity Coordinate	Bin Code	Min.	Max.
	L26	26	28		H2	2.8	2.9
STW8A12D-S1	TW8A12D-S1 L28 28 30 Refer to	Refer to	НЗ	2.9	3.0		
(IAH0)				Page. 8	H4	3.0	3.1
					H5	3.1	3.2

*Notes:

- (1) Calculated performance values are for reference only.
- All measurements were made under the standardized environment of Seoul Semiconductor.
 In order to ensure availability, single color rank will not be orderable.

Color Bin Structure

CIE Chromaticity Diagram, T_i=25℃, I_F=60mA



	X	0. 3123		X	0. 3156		X	0. 3205
	Y	0. 3282		Y	0. 3405		Y	0. 3418
65KC-SC/	a	0. 00223	63KH-SC/	a	0.0023	60KX-SC/	a	0.0026
65KC	b	0. 00095	63K-H	b	0. 00095	60K-X	b	0.0011
	θ	58. 38333		θ	65		θ	65
	SDCM	3/5		SDCM	3/5		SDCM	3/5
	X	0. 3287		X	0. 3447		X	0. 3818
	Y	0. 3417		Y	0. 3553		Y	0. 3797
57KC-SC/	a	0.002486	50KC-SC/	a	0.00274	40KC-SC/	a	0.00313
57KC	b	0.001066	50KC	b	0.00118	40KC	b	0.00134
	θ	59. 09		θ	59.62		θ	54
	SDCM	3/5		SDCM	3/5		SDCM	3/5
	X	0. 4073		X	0. 4338		X	0. 4578
	Y	0. 3917		Y	0. 403		Y	0. 4101
35KC-SC/	a	0.00317	30KC-SC/	a	0.00278	27KC-SC/	a	0. 00258
35KC	b	0.00139	30KC	b	0.00136	27KC	b	0.00137
	θ	52. 96667		θ	53. 16667		θ	57. 28333
	SDCM	3/5		SDCM	3/5		SDCM	3/5

*Notes:

- (1) Energy Star binning applied to all 2600~7000K.
- (2) Measurement Uncertainty of the Color Coordinates : \pm 0.01

Color Bin Structure


CIE Chromaticity Diagram, T_i=25 °C, I_F=60mA


色区	Х	Y	色区	X	Y	色区	X	Y	色区	X	Y
	0. 3206	0. 3482		0.3117	0. 3393		0. 3221	0. 3261		0.3131	0. 329
	0. 3117	0. 3393		0. 3028	0.3304		0. 3144	0. 3187		0. 3048	0. 3209
65K1	0. 3131	0. 329	65K2	0. 3048	0. 3209	65K5	0. 3131	0. 329	65K6	0. 3068	0. 3113
	0. 3213	0. 3371		0. 3131	0. 329		0. 3213	0. 3371		0. 3144	0. 3187
色区	Х	γ	色区	Х	Υ	色区	X	γ	色区	X	γ
	0. 3164	0. 3389		0. 3164	0. 3389		0. 3164	0. 3389		0. 3164	0. 3389
	0. 3255	0. 3469		0. 3153	0. 3524		0. 3078	0. 3312		0.3176	0. 3253
63K-1	0. 3251	0.3618	63K-2	0.306	0. 3435	63K-3	0. 3098	0. 3189	63K-4	0. 3257	0. 332
	0. 3153	0.3524		0. 3078	0.3312		0. 3176	0. 3253		0. 3255	0. 3469
色区	Х	Y	色区	Х	Y	色区	X	Y	色区	X	Y
	0. 3208	0. 3417		0. 3208	0. 3417]	0. 3208	0. 3417		0. 3208	0. 3417
	0. 3332	0. 3528		0. 3194	0.3592		0. 31	0. 3319		0. 3223	0. 3241
60K-1	0. 3327	0. 3717	60K-2	0. 3076	0.3482	60K-3	0. 3124	0. 3156	60K-4	0. 3336	0. 3339
	0. 3194	0. 3592		0. 31	0.3319		0. 3223	0. 3241		0. 3332	0. 3528
	•	•		•			•			•	
色区	Х	Y	色区	Х	Y	色区	X	Y	色区	X	Y
	0. 3376	0.3616		0.319	0.3446		0. 3204	0. 3228		0.3293	0. 3419
57K1	0. 3292	0. 3539	57K2	0. 3198	0.3329	57K3	0. 3294	0.3306	57K4	0.3294	0. 3306
1776	0. 3293	0.3419	37K2	0. 3293	0.3419	6416	0. 3293	0.3419	9714	0.3366	0. 3369
	0. 3371	0. 3493		0. 3292	0.3539		0.3198	0.3329		0. 3371	0. 3493
色区	X	Y	色区	X	Y	色区	X	Y	色区	X	Y
	0. 3455	0.3681		0. 3333	0.3462		0. 3438	0. 3426		0. 3559	0. 3645
50K1	0. 3579	0.3783	50K2	0. 3331	0.3579	50K3	0. 3336	0. 3345	50K4	0.354	0.3506
OUNT	0. 3559	0. 3645	OONE	0. 3455	0.3681	OONO	0. 3333	0. 3462	OORT	0.3438	0. 3426
	0. 3446	0. 3553		0. 3446	0. 3553		0. 3446	0. 3553		0. 3446	0. 3553
	X	Υ	色区	X	Y	色区	X	Y	色区	Х	Y
色区											
色区	0. 3869	0. 3958		0. 3869	0. 3958		0. 3952	0.388		0. 3828	0. 3803
色区 40K1	0. 3869 0. 4006	0. 3958 0. 4044	40K2	0. 3736	0. 3874	40K5	0. 3898	0. 3716	40K6	0. 3828 0. 3703	0.3726
	0. 3869 0. 4006 0. 3952	0. 3958 0. 4044 0. 388	40K2	0. 3736 0. 3703	0. 3874 0. 3726	40K5	0. 3898 0. 3783	0. 3716 0. 3646	40K6	0. 3828 0. 3703 0. 367	0. 3726 0. 3578
	0. 3869 0. 4006	0. 3958 0. 4044	40K2	0. 3736	0. 3874	40K5	0. 3898	0. 3716	40K6	0. 3828 0. 3703	0.3726
40K1	0. 3869 0. 4006 0. 3952 0. 3828	0. 3958 0. 4044 0. 388 0. 3803		0. 3736 0. 3703 0. 3828	0. 3874 0. 3726 0. 3803		0. 3898 0. 3783 0. 3828	0. 3716 0. 3646 0. 3803		0. 3828 0. 3703 0. 367 0. 3783	0. 3726 0. 3578 0. 3646
	0. 3869 0. 4006 0. 3952 0. 3828	0. 3958 0. 4044 0. 388 0. 3803	40K2 色区	0. 3736 0. 3703 0. 3828	0. 3874 0. 3726 0. 3803	40K5 <u>色区</u>	0. 3898 0. 3783 0. 3828	0. 3716 0. 3646 0. 3803	40K6 色区	0. 3828 0. 3703 0. 367 0. 3783	0. 3726 0. 3578 0. 3646
40K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921		0. 3736 0. 3703 0. 3828 X 0. 3942	0. 3874 0. 3726 0. 3803 Y 0. 3853		0. 3898 0. 3783 0. 3828 X 0. 3889	0. 3716 0. 3646 0. 3803 Y 0. 369		0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018	0. 3726 0. 3578 0. 3646 Y 0. 3752
40K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409		0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015		0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853		0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921
40K1 色区	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156	色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409	色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921	色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399
40K1 色区	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409	色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015	色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853	色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921
40K1 色区 35K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399	色区 35K2	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921	色区 35K3	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752	色区 35K4	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814
40K1 色区	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399	色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921	色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752	色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814
40K1 色区 35K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027	色区 35K2 色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984	色区 35K3 色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027	色区 35K4 色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984
40K1 色区 35K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212	色区 35K2	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165	色区 35K3	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853	色区 35K4	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814
40K1 色区 35K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443 0. 443	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212 0. 426	色区 35K2 色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299 0. 443	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165 0. 4212	色区 35K3 色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259 0. 4373	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853 0. 3893	色区 35K4 色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814 0. 3853
40K1 色区 35K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212	色区 35K2 色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165	色区 35K3 色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853	色区 35K4 色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814
40K1 色区 35K1 色区 30K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443 0. 4465	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212 0. 426 0. 4071	色区 35K2 色区 30K2	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299 0. 443 0. 4342	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165 0. 4212 0. 4027	色区 35K3 色区 30K5	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259 0. 4373 0. 4465	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853 0. 3893 0. 4071	色区 35K4 色区 30K6	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147 0. 4259 0. 4342	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814 0. 3853 0. 4027
40K1 色区 35K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443 0. 4562 0. 4465	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212 0. 426 0. 4071	色区 35K2 色区	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299 0. 443 0. 4342	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165 0. 4212 0. 4027	色区 35K3 色区	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259 0. 4373 0. 4465	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853 0. 3893 0. 4071	色区 35K4 色区	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147 0. 4259 0. 4342	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814 0. 3853 0. 4027
40K1 色区 35K1 色区 30K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443 0. 4562 0. 4465	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212 0. 426 0. 4071 Y 0. 4319	色区 35K2 色区 30K2	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299 0. 443 0. 4342 X 0. 4687	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165 0. 4212 0. 4027	色区 35K3 色区 30K5	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259 0. 4373 0. 4465	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853 0. 3893 0. 4071 Y 0. 3893	色区 35K4 色区 30K6	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147 0. 4259 0. 4342 X 0. 47	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814 0. 3853 0. 4027 Y 0. 4126
40K1 色区 35K1 色区 30K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443 0. 4562 0. 4465 X 0. 4813 0. 4687	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212 0. 426 0. 4071 Y 0. 4319 0. 4289	色区 35K2 色区 30K2	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299 0. 443 0. 4342 X 0. 4687 0. 4562	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165 0. 4212 0. 4027 Y 0. 4289 0. 426	色区 35K3 色区 30K5	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259 0. 4373 0. 4465	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853 0. 3893 0. 4071	色区 35K4 色区 30K6	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147 0. 4259 0. 4342 X 0. 47 0. 4582	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814 0. 3853 0. 4027 Y 0. 4126 0. 4098
40K1 色区 35K1 色区 30K1	0. 3869 0. 4006 0. 3952 0. 3828 X 0. 4083 0. 4148 0. 4299 0. 4223 X 0. 4342 0. 443 0. 4562 0. 4465	0. 3958 0. 4044 0. 388 0. 3803 Y 0. 3921 0. 409 0. 4156 0. 399 Y 0. 4027 0. 4212 0. 426 0. 4071 Y 0. 4319	色区 35K2 色区 30K2	0. 3736 0. 3703 0. 3828 X 0. 3942 0. 3996 0. 4148 0. 4083 X 0. 4221 0. 4299 0. 443 0. 4342 X 0. 4687	0. 3874 0. 3726 0. 3803 Y 0. 3853 0. 4015 0. 409 0. 3921 Y 0. 3984 0. 4165 0. 4212 0. 4027	色区 35K3 色区 30K5	0. 3898 0. 3783 0. 3828 X 0. 3889 0. 3942 0. 4083 0. 4018 X 0. 4342 0. 4259 0. 4373 0. 4465	0. 3716 0. 3646 0. 3803 Y 0. 369 0. 3853 0. 3921 0. 3752 Y 0. 4027 0. 3853 0. 3893 0. 4071 Y 0. 3893	色区 35K4 色区 30K6	0. 3828 0. 3703 0. 367 0. 3783 X 0. 4018 0. 4083 0. 4223 0. 4147 X 0. 4221 0. 4147 0. 4259 0. 4342 X 0. 47	0. 3726 0. 3578 0. 3646 Y 0. 3752 0. 3921 0. 399 0. 3814 Y 0. 3984 0. 3814 0. 3853 0. 4027 Y 0. 4126




Mechanical Dimensions: Unit (mm)

Type 1










Type 2






Polarity


Notes:

- (1) All dimensions are in millimeters.
- (2) Scale: none
- (3) Undefined tolerance is $\pm 0.2 \text{mm}$

Polarity



Recommended Solder Pad



Notes:


- (1) All dimensions are in millimeters.
- (2) Scale: none
- (3) This drawing without tolerances are for reference only
- (4) Undefined tolerance is ± 0.1 mm
- (5) The appearance and specifications of the product may be changed for improvement without notice.

Reliability Test Items and Condition

Test Item	Ref.Standard	Test Conditions	Time	Quantity(pcs)
High Temperature storage	JESD22-A103	Temp:100℃±5℃	1000 hrs	22
Low Temperature Storage	JESD22-A119	Temp:-40 ℃±5℃	1000 hrs	22
Temperature Cycle	JESD22-A104	100℃±5℃ 30min ↓↑5min -40℃±5℃ 30min	300 cycle	22
Reflow	JESD22-B106	Temp:max260°C Time:10sec 8min/cycle	3cycle	22
Life Test	JESD22-A108	Ta=25℃±5℃ IF=100mA	1000 hrs	22
High Temperature High Humidity Life Test	JESD22-A101	85°C±5°C/85%RH I _F =100mA	1000 hrs	22

Notes:

Reflow Soldering Characteristics




Profile Feature	Sn-Pb Eutectic Assembly	Pb-Free Assembly
Average ramp-up rate (T _{s_max} to T _p)	3° C/second max.	3° C/second max.
$ \begin{array}{c} \textbf{Preheat} \\ \textbf{- Temperature Min } (\textbf{T}_{\text{S_min}}) \\ \textbf{- Temperature Max } (\textbf{T}_{\text{S_max}}) \\ \textbf{- Time } (\textbf{T}_{\text{S_min}} \ \text{to } \textbf{T}_{\text{S_max}}) \ (\textbf{t}_{\text{S}}) \\ \end{array} $	100 °C 150 °C 60-120 seconds	150 °C 200 °C 60-180 seconds
Time maintained above: - Temperature (T _L) - Time (t _L)	183 °C 60-150 seconds	217 °C 60-150 seconds
Peak Temperature (T _p)	215 ℃	260 ℃
Time within 5°C of actual Peak Temperature (t _p)2	10-30 seconds	20-40 seconds
Ramp-down Rate	6 °C/second max.	6 °C/second max.
Time 25°C to Peak Temperature	6 minutes max.	8 minutes max.

Caution:

- (1) Reflow soldering is recommended not to be done more than two times
 In the case of more than 24 hours passed soldering after first, LEDs will be damaged.
- (2) Repairs should not be done after the LEDs have been soldered When repair is unavoidable, suitable tools must be used.
- (3) Die slug is to be soldered.
- (4) When soldering, do not put stress on the LEDs during heating.
- (5) After soldering, do not warp the circuit board.

Emitter Tape & Reel Packaging



NOTES:

Empty component pockets are sealed with top cover tape;

The maximum number of missing lamps is two;

The cathode is oriented towards the tape sprocket hole in accordance with ANSI/EIA RS-481 specifications.

17,000 pcs / Reel.



Product Nomenclature

Table 7. Part Numbering System : $X_1X_2X_3X_4X_5X_6X_7X_8 - X_9X_{10}(X_{11}X_{12}X_{13}X_{14})$

Part Number Code	Description	Part Number	Value
X ₁	Company	S	
X ₂	Top View LED series	Т	
X ₃ X ₄	Color Specification	W8	CRI 80
X ₅	Package series	Α	A series
X ₆ X ₇	Characteristic code	12	
X ₈	Version	D	
X ₉ X ₁₀	Internal code	S1	
X ₁₁ X ₁₂ X ₁₃ X ₁₄	Internal code	IAH0	

Precaution for Use

(1) Storage

To avoid the moisture penetration, we recommend store in a dry box with a desiccant.

The maximum storage temperature range is 40 $^{\circ}\mathrm{C}$ and a maximum humidity of RH90%.

(2) Use Precaution after Opening the Packaging

Use proper SMT techniques when the LED is to be soldered dipped as separation of the lens may affect the light output efficiency.

Pay attention to the following:

- a. Recommend conditions after opening the package
 - Sealing
 - Temperature : 30 °C Humidity : less than RH60%
- b. If the package has been opened more than 4 week(MSL_2a) or the color of the desiccant changes, components should be dried for 10-24hr at $65\pm5^{\circ}$ C
- (3) Do not apply mechanical force or excess vibration during the cooling process to normal temperature after soldering.
- (4) Do not rapidly cool device after soldering.
- (5) Components should not be mounted on warped (non coplanar) portion of PCB.
- (6) Radioactive exposure is not considered for the products listed here in.
- (7) Gallium arsenide is used in some of the products listed in this publication.
 These products are dangerous if they are burned or shredded in the process of disposal.
 It is also dangerous to drink the liquid or inhale the gas generated by such products when chemically disposed of.
- (8) This device should not be used in any type of fluid such as water, oil, organic solvent and etc. When washing is required, IPA (Isopropyl Alcohol) should be used.
- (9) When the LEDs are in operation the maximum current should be decided after measuring the package temperature.

Precaution for Use

- (10) The appearance and specifications of the product may be modified for improvement without notice.
- (11) Long time exposure of sunlight or occasional UV exposure will cause lens discoloration.
- (12) VOCs (Volatile organic compounds) emitted from materials used in the construction of fixtures can penetrate silicone encapsulants of LEDs and discolor when exposed to heat and photonic energy. The result can be a significant loss of light output from the fixture. Knowledge of the properties of the materials selected to be used in the construction of fixtures can help prevent these issues.
- (13) Attaching LEDs, do not use adhesives that outgas organic vapor.
- (14) The driving circuit must be designed to allow forward voltage only when it is ON or OFF.
 If the reverse voltage is applied to LED, migration can be generated resulting in LED damage.
- (15) Similar to most Solid state devices;
 LEDs are sensitive to Electro-Static Discharge (ESD) and Electrical Over Stress (EOS).
 Below is a list of suggestions that Seoul Semiconductor purposes to minimize these effects.
- a. ESD (Electro Static Discharge)

Electrostatic discharge (ESD) is the defined as the release of static electricity when two objects come into contact. While most ESD events are considered harmless, it can be an expensive problem in many industrial environments during production and storage. The damage from ESD to an LEDs may cause the product to demonstrate unusual characteristics such as:

- Increase in reverse leakage current lowered turn-on voltage
- Abnormal emissions from the LED at low current

The following recommendations are suggested to help minimize the potential for an ESD event. One or more recommended work area suggestions:

- Ionizing fan setup
- ESD table/shelf mat made of conductive materials
- ESD safe storage containers

One or more personnel suggestion options:

- Antistatic wrist-strap
- Antistatic material shoes
- Antistatic clothes

Environmental controls:

- Humidity control (ESD gets worse in a dry environment)

Precaution for Use

b. EOS (Electrical Over Stress)

Electrical Over-Stress (EOS) is defined as damage that may occur when an electronic device is subjected to a current or voltage that is beyond the maximum specification limits of the device. The effects from an EOS event can be noticed through product performance like:

- Changes to the performance of the LED package
 (If the damage is around the bond pad area and since the package is completely encapsulated the package may turn on but flicker show severe performance degradation.)
- Changes to the light output of the luminaire from component failure
- Components on the board not operating at determined drive power

Failure of performance from entire fixture due to changes in circuit voltage and current across total circuit causing trickle down failures. It is impossible to predict the failure mode of every LED exposed to electrical overstress as the failure modes have been investigated to vary, but there are some common signs that will indicate an EOS event has occurred:

- Damaged may be noticed to the bond wires (appearing similar to a blown fuse)
- Damage to the bond pads located on the emission surface of the LED package (shadowing can be noticed around the bond pads while viewing through a microscope)
- Anomalies noticed in the encapsulation and phosphor around the bond wires.
- This damage usually appears due to the thermal stress produced during the EOS event.
- c. To help minimize the damage from an EOS event Seoul Semiconductor recommends utilizing:
 - A surge protection circuit
 - An appropriately rated over voltage protection device
 - A current limiting device



Company Information

Published by

Seoul Semiconductor © 2013 All Rights Reserved.

Company Information

Seoul Semiconductor (www.SeoulSemicon.com) manufacturers and packages a wide selection of light emitting diodes (LEDs) for the automotive, general illumination/lighting, Home appliance, signage and back lighting markets. The company is the world's fifth largest LED supplier, holding more than 10,000 patents globally, while offering a wide range of LED technology and production capacity in areas such as "nPola", "Acrich", the world's first commercially produced AC LED, and "Acrich MJT - Multi-Junction Technology" a proprietary family of high-voltage LEDs.

The company's broad product portfolio includes a wide array of package and device choices such as Acrich and Acirch2, high-brightness LEDs, mid-power LEDs, side-view LEDs, and through-hole type LEDs as well as custom modules, displays, and sensors.

Legal Disclaimer

Information in this document is provided in connection with Seoul Semiconductor products. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Seoul Semiconductor hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party. The appearance and specifications of the product can be changed to improve the quality and/or performance without notice.